bimos

characteristics Laboratory Basic 1 with glides

Article: 9130 artificial leather

Dimensions in mm	Backrest:	H:	430
	Seat:	H:	450-600
		B:	460
		T:	440
Packing data	Weight	kg	14,0
	Volume	m³	0,16



	Benefit
Special art. Leather surface with antibacterial, antifungal and antimicrobial capacities.	Laboratory-appropriate equipment. Washable, disinfectable and easy-care.
Large, ergonomically designed backrest to take the strain off the spine and muscles with integrated lumbar support.	Healthy posture due to a hump providing support for the back in the lumbar region.
Backrest height adjustment convenient and easy to bandle in sitting position	The support area can be adapted in accordance to the user's body size.
Ergonomically designed seat with rounded front edge.	The round front edge of the seat prevents blocked circulation in the thighs.
Synthetic leather cushion with seamless upholstery technique and high quality Skai synthetic leather. Washable and resistant to disinfectant.	The extra-strong comfort upholstery offers excellent seating comfort. Soft and comfortable upholstery provides a comfortable feel.
Available in the colors: Blue (6902) Red (6903) Black (2571) Grev (6911)	Resistant to disinfectants, washable and easy-care. Ideal for the use in laboratories.
Stepless seat height setting from 470 - 610 mm supported by safety gas spring with protective cover.	Seat height can be adapted to nearly 95 % of all body sizes, the cover protects the gas spring from dust and dirt.
Permanent contact-backrest	This mechanism ensures that the backrest responds immediately to any movements of the upper body by following them. Thus, the back remains supported all the time. The backrest can also be locked into any tilt position if required.
Quick adjustment	Every function can be operated comfortable and easy in sitting position.
Anti-Shock lock	The backrest cannot accidentally spring forwards even after the lock has been released.
Black 5 star base made from steel shape tube, powder-coatet, black. Flat design.	Very high stability, longevity. Flat design prevents stumbling hazard.
Wearproof plastic glides with a large surface area.	Offer a superb level of stability.
The materials used are recyclable.	Environmentally friendly.
DIN 68 877 German GS "safety tested" mark of confirmity Quality Management System DIN EN ISO 9001 Regulation EWG Nr. 1836/93	Procuring is insured.
	antifungal and antimicrobial capacities. Large, ergonomically designed backrest to take the strain off the spine and muscles with integrated lumbar support. Backrest height adjustment convenient and easy to handle in sitting position. Ergonomically designed seat with rounded front edge. Synthetic leather cushion with seamless upholstery technique and high quality Skai synthetic leather. Washable and resistant to disinfectant. Available in the colors: Blue (6902) Red (6903) Black (2571) Grey (6911) Stepless seat height setting from 470 - 610 mm supported by safety gas spring with protective cover. Permanent contact-backrest Quick adjustment Anti-Shock lock Black 5 star base made from steel shape tube, powder-coatet, black. Flat design. Wearproof plastic glides with a large surface area. The materials used are recyclable. DIN 68 877 German GS "safety tested" mark of confirmity Quality Management System DIN EN ISO 9001

bimos

characteristics Laboratory Basic 1 with glides

Dimensions in mm	Backrest:	H:	430	
	Seat:	H:	450-600	
		B:	460	
		T:	440	
Packing data	Weight	kg	14,0	
	Volume	m ³	0,16	
Warranty		10 year lon warranty.	g term warranty, 3 years full	Guaranteed quality and high efficiency.

bimos

characteristics Laboratory Basic 1 with glides

Article: 9130 artificial leather

Dimensions in mm	Backrest:	H:	430
	Seat:	H:	450-600
		B:	460
		T:	440
Packing data	Weight	kg	14,0
	Volume	m³	0,16



Options		Benefit
Armrests	Loop armrest	Made of polyamide, adjustable in width (20 mm)
	Multifunctional armrest	The armrests are adjustable in height, width and depth to suit the individual user
Accessories	Foot ring.	The foot ring can be retrofitted by attaching it to the chair column.
Options	Light grey frame	
	Polished aluminium base	